

L _n Number	Hits	Search Text	DB	Time stamp
1	2	6253255.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 21:26
-	602	("1394" or p1394)and(capability near3(node or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 11:14
-	6	((("1394" or p1394)and(capability near3(node or device))) and(link adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 11:10
-	4593	capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:28
-	180	("1394" or p1394)and (capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:29
-	2	5504757.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 17:16
-	4893	capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:28
-	10	((("1394" or p1394)and (capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)))not (("1394" or p1394)and (capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:32
-	11968	(configur\$5 or reconfigur\$5)near7 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:35
-	16567	load\$3 near5 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:35
-	4	(capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) same ((configur\$5 or reconfigur\$5)near7 driver) same (load\$3 near5 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:41
-	13	((capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) and(((configur\$5 or reconfigur\$5)near7 driver) same (load\$3 near5 driver)))not ((capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) same ((configur\$5 or reconfigur\$5)near7 driver) same (load\$3 near5 driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 20:06

-	29	(capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) and ((configur\$5 or reconfigur\$5)near7 driver) and (load\$3 near5 driver))not(((capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) same ((configur\$5 or reconfigur\$5)near7 driver) same (load\$3 near5 driver)) or (((capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) and(((configur\$5 or reconfigur\$5)near7 driver) same (load\$3 near5 driver)))not (((capability near5(request\$3 or inquir\$3 or quer\$4 or ascertain\$3)) same ((configur\$5 or reconfigur\$5)near7 driver) same (load\$3 near5 driver)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 19:44
-	1209	link adj3 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 20:06
-	18	(link adj3 driver) same capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 20:34
-	36	(link adj3 driver) same ((configur\$5 or reconfigur\$5)near7 driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/26 20:34
-	204	configuration adj(rom or memory))and("1394" or p1394	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:24
-	122	(configuration adj(rom or memory))and("1394" or p1394) and capability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 10:30
-	5239	configuration with(directory or pointer or tree or link\$3)with(node or unit or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:36
-	233	configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and("1394" or p1394	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:25
-	195	((configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and("1394" or p1394)) not ((configuration adj(rom or memory))and("1394" or p1394) and capability)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:25
-	4	((configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and("1394" or p1394)) not ((configuration adj(rom or memory))and("1394" or p1394) and capability)) and (configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) same driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:27

-	80	(((((configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and("1394" or pl394)) not ((configuration adj(rom or memory))and("1394" or pl394) and capability)) and (configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and driver)not (((configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and("1394" or pl394)) not ((configuration adj(rom or memory))and("1394" or pl394) and capability)) and (configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) same driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:29
-	37	(((((configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) and("1394" or pl394)) not ((configuration adj(rom or memory))and("1394" or pl394) and capability)) and(dynamic\$5 with configur\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:31
-	14	configuration with(directory or pointer or tree or link\$3)with(node or unit or device)) with(link\$ near list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 11:36
-	2	(stor\$3 near4 configuration)same(link\$3 near4(pointer or list))same driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:45
-	39	(configuration)same(link\$3 near4(pointer or list))same driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:45
-	45592	configuration near3(table or file or list or structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 16:16
-	428	configuration near3(table or file or list or structure)) and("1394" or pl394	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 16:16
-	22137	add\$2 or adding or addition or remov\$3 or chang\$3 or delet\$3)with(device or node)with(configur\$5 or reconfigur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 15:47
-	138	((configuration near3(table or file or list or structure)) and("1394" or pl394)) and (add\$2 or adding or addition or remov\$3 or chang\$3 or delet\$3)with(device or node)with(configur\$5 or reconfigur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 16:17
-	479	configuration near3(registry)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 16:16
-	8	configuration near3(registry)) and("1394" or pl394	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 16:16